


NOTE:

1. WHEN INSTALLING THE 6518.2FR WITH A SINGLE FOUNTAIN AND JUG FILLER THE FLOW CONTROL CONNECTED TO THE JUG FILLER SUPPLY MUST BE REMOVED.

2 IF EXPERIENCING A "HIGH FLOW CONDITION" INSTALL A 1/2" IPS X CLOSE NIPPLE AND 1/2" VALVE (BOTH NOT SUPPLIED) AS SHOWN IN DETAIL A. ADJUST VALVE TO ACHIEVE DESIRED BUBBLER HEAD STREAM HEIGHTS.

		1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM		
		ECN NO. REVISED PER BY: ECN: 4804 HM	MODEL(S) 6518FR	PART NUMBER: 0002077777.D
DRAWN: TRF	DATE: 12-90	CHECKED:	DRAWING NO.: 08805A00	REV: 17
APPROVED:	DATE:	SCALE: 1:13	DRAWING TYPE: INSTALLATION	SIZE: A SHEET 1 OF 3




Haws[®]

1455 KLEPPE LANE
 SPARKS, NEVADA 89431
 (775) 359-4712 FAX (775) 359-7424
 E-MAIL: HAWS@HAWS.CO.COM
 WEBSITE: WWW.HAWS.CO.COM

ECN NO. REVISED PER BY:	MODEL(S)	PART NUMBER:
ECN: 4604 HM	6518FR	0002077777.D
DRAWN: TRF	DATE: 12-90	CHKD:
APPROVED:	DATE:	DRAWING NO.: 08805A00
SCALE: 1:23	DRAWING TYPE: INSTALLATION	REV: 17
SIZE: A		SHEET 2 OF 3

DRAWING NO. 08805A00



		1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
		ECN NO. REVISED PER BY: MODEL(S) ECN: 4804 HM: 6518FR	PART NUMBER: 0002077777.D
DRAWN: TRF DATE: 12-90 APPROVED:	CHK'D: HM DATE:	DRAWING NO.: 08805A00	REV: 17
SCALE: 1:23		DRAWING TYPE: INSTALLATION	SIZE: A SHEET 3 OF 3

DRAWING NO. 08805A00