

TOUCHLESS HYDRATION POWERED BY HAWS®

Haws® offers various motion-activated hydration options for sanitary activation in public places. The touchless electric sensor allows for hands-free operation with a simple front motion, eliminating the need for manual activation. All units provide easy to follow instructions for in-field installation.



DRINKING FOUNTAIN AND BOTTLE FILLER PRODUCTS

Top Drinking Fountains incorporated with a sensor-operated solenoid valve.



Model: 1001HO

ADA, wall mounted, touchless satin stainless steel drinking fountain.



Model: 1011HO2

Hi-Lo ADA, wall mounted, touchless satin stainless steel dual drinking fountain.



Model: 1119HO2-1920HO

Hi-lo ADA, wall mounted, touchless dual drinking fountain and bottle filler.



Model: H1117.8HO2

Hi-lo ADA, wall mounted, touchless dual, 14-gauge adjustable stainless steel drinking fountain.



Model: 1211SFH

Filtered, stainless steel wall-mount ADA touchless water cooler with bottle filler. Optional bubbler deactivation and cap available.



Model: 1212SFH

Filtered, stainless steel hi-lo wall-mount ADA touchless water cooler with bottle filler.

BOTTLE FILLER PRODUCTS

Model: 1210SF

Touchless stainless steel wall-mounted, filtered ADA bottle filler with programmable features, and separated bottle resting platform from basin.



Model: 2000S

Recessed wall-mounted, CSA certified, touch-free, hygienic, water dispenser that allows users to enjoy the benefits of fresh, filtered water.



Model: 1920HO

Touchless satin stainless-steel bottle filler uses a sensor-operated stainless steel solenoid valve for hands-free operation.



The CDC recommends all facilities develop a comprehensive water management program for your water system and all devices that use water. This includes regular cleaning of decorative water features, such as fountains and be sure to follow any recommended manufacturer guidelines for maintenance and cleaning.¹

Universal & International Plumbing Code requirements state bottle fillers are only permitted to be substituted for drinking fountains up to 50% of the occupant load requirements for drinking fountains.²

SENSOR UPGRADE

In-field conversion of *Haws* indoor drinking fountains to touchless operation with our sensor and solenoid valve retrofit kit.



Model: RKHO Series

Electric sensor and solenoid valve retrofit kit with hard-wired or plug-in transformer converts many *Haws* fountains and 1920 bottle fillers to be operated hands-free.



Before



After

References:

1. <https://www.cdc.gov/coronavirus/2019-ncov/php/building-water-system.html>
2. Unless the occupant load is less than 15 (International Plumbing Code) or 30 (Uniform Plumbing Code).



ADA COMPLIANT



C IAPMO UNIFORM PLUMBING CODE

