

## FEATURES & BENEFITS

### CONSTRUCTION

Unit is made of 14 gauge Type 304 stainless steel with a white painted finish that resists stains and corrosion, and has soft rounded corners. Unit features vandal-resistant bottom plate and dispensing nozzle.

### BOTTLE FILLER VALVE

Fountain incorporates a touchless sensor operated stainless steel solenoid valve controlled by transformers for hands-free operation. A pressure regulator is used to adjust the bubbler flow according to incoming water pressures.

### LAMINAR FLOW

Adjustable, splash-free, 1 gpm (3.78 L) laminar water flow.

### EFFICIENT & FLEXIBLE INSTALLATION

Unit is designed for retrofit or new construction applications. No drain required for mounting over existing drinking fountain.

### MOUNTING OPTIONS

Select from mounting plate and back panel models to complete installation. Unit can mount on various wall types.

### VANDAL RESISTANT

The push button and bottom plate are locked in place, discouraging unwanted vandal tampering.



## OPTIONS

- Water Filter: Model 6480 filter kit with 3000 gallon carbon block filter, filter head, and mounting bracket.
- Mounting Plate: Model 6700R on-wall mounting plate for model 1920WHO.
- Mounting Plate: Model 6700 in-wall mounting plate for model 1920WHO.
- Back Panel: Models BP15W white powder-coated stainless steel panel.
- Back Panel: Model BP8W white powder-coated stainless steel back panel.

For more information, visit [www.hawscos.com](http://www.hawscos.com) or call (888) 640-4297.

## SPECIFICATIONS

Model 1920WHO motion-activated wall mounted vandal-resistant bottle filler shall include 100% lead-free waterways, gloss white finish, stainless steel construction, 1 gpm (3.78 L) laminar flow, and touchless sensor operated stainless steel solenoid valve with 30-second obstruction time-out controlled by a transformer. It can be used as a stand-alone station, or mounted above the Haws® 1311 and 1501 drinking fountain models.




**This product requires a mounting plate; either the 6700 in-wall or the 6700R on-wall support plate. (See options below)**

### FOR INDOOR USE ONLY


## APPLICATIONS

This type of wall mounted bottle filler may be placed in settings such as schools and other locations in and around office buildings, or with existing fountain installations where the temperature remains above freezing. Haws manufactures drinking fountains, faucets and electric water coolers to be lead-free by all known definitions including NSF/ANSI/CSA 61-Section 9, NSF/ANSI/CSA 372, California Proposition 65, and the Federal Safe Drinking Water Act. Product is compliant to California Health and Safety Code 116875 (AB 1953-2006), and 116876 (AB 100) "NSF/ANSI/CAN 61: Q ≤ 1".






1920HO SERIES MOUNTING HOLE LOCATIONS  
(3/8"-16 UNC MOUNTING HARDWARE NOT SUPPLIED)



NOTES:


1. SEE SHEETS 2 THRU 7 FOR BOTTLE FILLER ADULT ADA HEIGHT APPLICATIONS AND SHEET 8 FOR CHILD ADA HEIGHT APPLICATIONS.
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE AND SUPPLY REQUIREMENTS OTHER THAN SHOWN.
- 3 REFER TO 1RKHO.H OPERATION & MAINTENANCE INSTRUCTIONS FOR SENSOR SETUP.




**Haws®**  
Since 1906

1455 KLEPPLE LANE  
SPARKS, NE/VADA 689431  
(775) 359-4712 FAX (775) 359-1424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM


EON NO. REVISED PERBY:		MODEL(S)		INSTALLATION	
5574	EON 6136	FV	1920HO/1920HPSHO/1920WHO	SIZE: A1	SHEET 1 OF 8
DRAWN:	DATE:	CHK'D:			
FV	08/18/20	KAM			
APPROVED:	DATE:	SCALE:	N/A	DRAWING TYPE:	REVISION
FV	11/04/24				8
PART NUMBER			0510001063.D		



**INSTALLATION ABOVE HAWWS 1011 & H1011.8 SERIES**




**INSTALLATION ABOVE HAWWS 1001 & H1001.8 SERIES**



\* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS

1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACK PANELS (SHOWN FOR REFERENCE - NOT SUPPLIED).


2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



\*\* EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)

<b>HAWWS®</b> Since 1906		1455 KLEPPLE LANE SPARKS, NE/VADA 89431 (775) 359-4712 FAX (775) 359-1424 E-MAIL: HAWWS@HAWWS.CO.COM WEBSITE: WWW.HAWWS.CO.COM	
ECN NO. REVISED PERBY:	MODEL(S)	INSTALLATION	SIZE: A1 SHEET 2 OF 8
5574 / ECN 6136	1920HO/1920HPSHO/1920WHO		
DRAWN: FV	DATE: 08/18/20	SCALE: N/A	REVISION: 8
FV	CHKD: KM	DRAWING TYPE:	
APPROVED: FV	DATE: 11/04/24		




**INSTALLATION ABOVE HAWS 1119 & H1119.8 SERIES**

**INSTALLATION ABOVE HAWS 1109 & H1109.8 SERIES  
SEE SHEET 8 FOR INSTALLATION AT CHILD HEIGHT**

\* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS


1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES, BACK PANELS AND DRIP TRAY (NOT SUPPLIED).

2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.




\*\* EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)




ECON NO. REVISED PERBY:		MODEL(S)		1455 KLEPPELANE	
5574	ECON 6136	FV		1920HO/1920HPSHO/1920WHO	
DRAWN:	DATE:	CHKD:	SCALE:	DRAWING TYPE:	INSTALLATION
FV	08/18/20	KAM	N/A		SIZE: A1 SHEET: 3 OF 8
APPROVED:		DATE:	11/04/24		
		SCALE:	N/A		
		DRAWING TYPE:			
		INSTALLATION			
		SIZE:	A1	SHEET:	3 OF 8
		REVISION			
		8			
		PART NUMBER			
		0510001063.D			
		REVISION			
		8			
		SPARKS, NE/VADA 89431			
		(775) 359-4712 FAX (775) 359-1424			
		E-MAIL: HAWS@HAWS.CO.COM			
		WEBSITE: WWW.HAWS.CO.COM			



**INSTALLATION ABOVE HAWS 1107L & H1107.8 SERIES**  
**SEE SHEET 8 FOR INSTALLATION AT CHILD HEIGHT**


1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACK PANELS (SHOWN FOR REFERENCE - NOT SUPPLIED),
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.




3/8" O.D. SUPPLY \_\_\_\_\_  
TUBING AND 3/8" O.D.  
PUSH-IN TEE SUPPLIED.  
(CONNECT TO FOUNTAIN  
SUPPLY LINE)




20W/HQ 10510001063.D



INSTALLATION ABOVE HAWS 1501




INSTALLATION ABOVE HAWS 1311  
SEE SHEET 8 FOR INSTALLATION AT CHILD HEIGHT



\* IF YOUR FOUNTAIN IS THIS STYLE USE THESE DIMENSIONS

1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACK PANELS (SHOWN FOR REFERENCE - NOT SUPPLIED).

2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



\*\* EXISTING PUSH BUTTON ASSEMBLY SHOWN, CAN BE CONVERTED TO HANDS OFF STYLE, USING RETRO-FIT KIT MODEL 1RKHO.H OR 2RKHO.H DEPENDING ON CUSTOMER REQUIREMENTS.

3/8" O.D. SUPPLY TUBING AND 3/8" O.D. PUSH-IN TEE SUPPLIED. (CONNECT TO FOUNTAIN SUPPLY LINE)



1455 KLEPPER LANE

SPARKS, NEVADA 89431

(775) 359-4712 FAX (775) 359-1424

E-MAIL: HAWS@HAWS.CO.COM

WEBSITE: WWW.HAWS.CO.COM

PART NUMBER

0510001063.D

REVISION

8


ECN NO. REVISED PERBY: 5574  
DATE: 08/18/20  
FV: KAM

MODEL(S) 1920HO/1920HPSHO/1920WHO

SCALE: N/A  
DRAWING TYPE: INSTALLATION

SIZE: A1  
SHEET: 5 OF 8


6700 MOUNTING PLATE  
(BEHIND FINISH WALL)  
- OR -  
BOLT 1920HO ONTO EXISTING WALL  
(MOUNTING HARDWARE ONLY SUPPLIED  
WITH 6700 SERIES MOUNTING PLATES)



**INSTALLATION ABOVE HAWS 1047**

\* IF YOUR FOUNTAIN IS THIS STYLE USE  
THESE DIMENSIONS

1. SEE SEPARATE INSTALLATION DRAWINGS  
FOR MOUNTING PLATES AND BACK PANELS  
(SHOWN FOR REFERENCE - NOT SUPPLIED).
2. WHEN INSTALLING THIS UNIT, LOCAL,  
STATE OR FEDERAL CODES SHOULD  
BE ADHERED TO FOR INSTALLATION  
LOCATIONS, WASTE & SUPPLY  
REQUIREMENTS OTHER THAN SHOWN.




3/8" O.D. SUPPLY  
TUBING AND 3/8" O.D.  
PUSH-IN TEE SUPPLIED.  
(CONNECT TO FOUNTAIN  
SUPPLY LINE)

\*\* EXISTING PUSH BUTTON  
ASSEMBLY SHOWN, CAN  
BE CONVERTED TO HANDS  
OFF STYLE, USING RETRO-  
FIT KIT MODEL 1RKHO.H.





ECON. REVISED PERBY:		MODEL(S)		1455 KLEPPLE LANE	
5574	ECON. 6136	FV		SPARKS, NE/VADA 89431	
DRAWN:	DATE:	CHKD:		(775) 359-4712 FAX (775) 359-1424	
FV	08/18/20	KAM		E-MAIL: HAWS@HAWS.CO.COM	
APPROVED:	DATE:	SCALE:	N/A	WEBSITE: WWW.HAWS.CO.COM	
FV	11/04/24	DRAWING TYPE:	INSTALLATION	PART NUMBER	0510001063.D
		SIZE:	A1	REVISION	8



**INSTALLATION ABOVE 6468**

1. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACK PANELS (SHOWN FOR REFERENCE - NOT SUPPLIED).
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.






**Haws®**  
Since 1906


1455 KLEPPLE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-1424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM

ECON. NO. REVISED PERBY:		MODEL(S)	
5744	ECON. 6136	1920HO/1920HPSHO/1920WHO	
DRAWN:	DATE:	CHKD:	
FV	10/04/21	KML	
APPROVED:	DATE:	SCALE:	DRAWING TYPE:
FV	11/04/24	N/A	INSTALLATION
SIZE: A1		SHEET 7 OF 8	
PART NUMBER		REVISION	
0510001063.D		8	






INSTALLATION ABOVE HAWS 1107L & H1107.8 SERIES



INSTALLATION ABOVE HAWS 1109, 1109.14 & H1109.8 SERIES  
MUST USE PARALLEL APPROACH WITH THIS BOWL COMBINATION



INSTALLATION ABOVE HAWS 1311

NOTES:

1. HEIGHT DIMENSIONS SHOWN ARE FOR CHILD ADA APPLICATIONS:
  - BOTTLE FILLER HEIGHT AT 40" MAX.
  - DRINKING FOUNTAIN BUBBLER HEIGHT AT 30" MAX.
  - (SEE SHEETS 3, 4 & 5 FOR ADULT ADA HEIGHT DIMENSIONS)
2. SEE SEPARATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACK PANELS (SHOWN FOR REFERENCE - NOT SUPPLIED).
3. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.



ECON. NO. REVISED PERBY:		MODEL(S)		1455 KLEPPER LANE	
5744	ECON. 6136	FV		SPARKS, NE/ADA 89431	
DRAWN:	DATE:	CHKD:		(775) 359-4712 FAX (775) 359-1424	
FV	02/26/24	KAM		E-MAIL: HAWS@HAWS.CO.COM	
APPROVED:	DATE:	SCALE:	N/A	WEBSITE: WWW.HAWS.CO.COM	
FV	11/04/24			PART NUMBER	
				1920H0/1920HPSHO/1920WH0	
				0510001063.D	
				REVISION	
				8	
				SIZE: A1 SHEET 8 OF 8	