

## FEATURES & BENEFITS

### CONSTRUCTION

Rugged ADA accessible 18 gauge Type 304 Stainless Steel swirl design bowl, 14 gauge Type 304 Stainless Steel bracket and bottle filler, and vandal-resistant bottom plates provides a long lasting unit with added peace of mind.

### BOTTLE FILLER

Vandal-resistant, 14-gauge Type 304 stainless steel bottle filler housing with push button operation and 1 gpm (3.78 L) laminar flow.

### FOUNTAIN VALVES

The push-button activated valves have all stainless steel bodies, with chrome plated brass push button assemblies which allow for front access to water stream adjustment, water control cartridge, and water supply strainer replacement without having to go through the bottom plate. Operating pressure range of 30 to 90 psi (2.1 to 6.2 bar).

### BUBBLER HEAD

Polished chrome-plated brass bubbler head with integral laminar flow prevents splashing while providing a superior flow pattern. The integral 11/16" dia. basin shank and stainless anti-rotation roll pin for vandal resistance strength. Shielded, angled stream opening provides a steady, sanitary source of drinking water at .45 gpm.

### VANDAL RESISTANT

The bubbler head, push buttons, round bowl, drain strainer and bottom plates are locked in place, discouraging unwanted vandal tampering.

### MOUNTING

3/16" (.47 cm) thick steel mounting plate (sold separately) is larger, thicker and stronger than any other plate in the industry, and shall include the all-thread studs, nuts, and washers which allows for easy installation to a framed wall. (P-trap and stop require rear access).

## OPTIONS

- Support Frame: Model 6800 In-wall floor mounted fixture support legs, welded steel 4-bolt floor flanges, and supplied with 'U' bolts and hardware.
- Mounting Plate: Model 6700R, on-wall mounting plate for model 1920.
- Mounting Plate: Model 6700, in-wall mounting plate for model 1920.
- Bottle Filler Stand: Model BTL1001, add-on stainless steel stand to place bottle on when 1920 bottle filler is used.

For more information, visit [www.hawscow.com](http://www.hawscow.com) or call (888) 640-4297.



## REQUIRED MODELS

### 1001 / BP6 / 6700 / 1920 / BP15

Order these items to make up the Model 1001-1920 fountain with stainless steel back panel, bottle filler with stainless steel back plate, and fountain mounting plate shown above.

## SPECIFICATIONS



Model 1001-1920 wall mounted vandal-resistant ADA drinking fountain and bottle filler shall include an 18 gauge Type 304 Stainless Steel satin finish basin with integral swirl design, 14 gauge Type 304 Stainless steel wall bracket and bottle filler bracket, 100% lead-free waterways, vandal-resistant push-button operated stainless steel valves with front-accessible cartridge and flow adjustment, polished chrome-plated brass vandal-resistant bubbler head with integral laminar anti-squirt flow, 1 gpm (3.78 L) laminar flow bottle filler, chrome plated brass vandal-resistant waste strainer, vandal-resistant bottom plates, and 1-1/4" (3.2 cm) O.D. waste pipe. (P-trap and stop require rear access). Manufactured to be lead-free by all known definitions including NSF/ANSI/CAN 61-Section 9, NSF/ANSI/ CAN 372, California Proposition 65, and the Federal Safe Drinking Water Act. Product is compliant to California Health and Safety Code 116875 (AB 1953-2006), and 116876 (AB 100) "NSF/ANSI/CAN 61: Q ≤ 1".

**The bottle filler requires a mounting plate; either the Haws model 6700 in-wall or the 6700R on-wall support plate.**




- 

## DETAIL C



SECTION A-A  
ROTATED 90° INTO VIEW  
BRACKET MOUNTING  
DETAIL



**6700 MOUNTING PLATE  
MUST BE INSTALLED BEFORE FINISH WORK  
THIS PLATE IS REQUIRED - SOLD SEPARATELY.**



1455 KLEPPE LANE

SPARKS, NEVADA 89431

(775) 359-4712 FAX (775) 359-7424

E-MAIL: [HAWS@HAWSCO.COM](mailto:HAWS@HAWSCO.COM)

WEBSITE: [WWW.HAWSCO.COM](http://WWW.HAWSCO.COM)

PART NUMBER
-------------

1000207630


00000000	REVISION
----------	----------

21

SIZE: A	SHEET 1 OF 1
---------	--------------


DATE: 1	DATE: 1
---------	---------

© 2020 Haws Corporation - All Rights Reserved. HAWS® and other trademarks used in these materials are the exclusive property of Haws Corporation.





**MODEL BP15 / BP15HPS**


- NOTES:
1. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO.



**INSTALLATION OVER SINGLE FOUNTAIN**


SHOWN FROM REAR

				1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
ECONO	REVISED PER BR:	MODEL(S)	MODEL 1001 AND 1001HPS	PART NUMBER	1001-20
DRAWN	DATE:	DATE:	DATE:	REVISION	0A.1
DESIGNED	DATE:	DATE:	DATE:		
APPROVED	DATE:	SCALE: 1:1	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 2 OF 2



\* IF YOUR FOUNTAIN IS THIS STYLE USE  
THESE DIMENSIONS



1. SEE SEPARATE INSTALLATION DRAWINGS  
FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL,  
STATE OR FEDERAL CODES SHOULD  
BE ADHERED TO FOR INSTALLATION  
LOCATIONS, WASTE & SUPPLY  
REQUIREMENTS OTHER THAN SHOWN.





1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWSCO.COM  
WEBSITE: WWW.HAWSCO.COM

DRAWN BY: ENNO		REVISED PER: BY:		MODEL(S)	
DATE: 10/31/17		DATE: 10/31/17		MODEL 1001 AND 1001HPS	
CHECKED BY: GC		CHECKED BY: GC		WITH MODEL 1920 BOTTLE FILLER	
APPROVED BY: DATE:		APPROVED BY: DATE:		INSTALLATION	
SCALE: N/A		SCALE: N/A		SIZE: A	
DRAWING TYPE: INSTALLATION		DRAWING TYPE: INSTALLATION		SHEET 1 OF 2	
PART NUMBER		PART NUMBER		1001-20	
REVISION		REVISION		0A.1	

THIS DOCUMENT IS TRUE AND CORRECT AT TIME OF PUBLICATION. CONTINUED PRODUCT IMPROVEMENTS  
MAKE SPECIFICATIONS AND MEASUREMENTS SUBJECT TO CHANGE WITHOUT NOTICE.



1920 MOUNTING HOLE LOCATIONS



NOTES:

1. SEE SEPERATE INSTALLATION DRAWINGS FOR MOUNTING PLATES AND BACKPANELS
2. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO FOR INSTALLATION LOCATIONS, WASTE & SUPPLY REQUIREMENTS OTHER THAN SHOWN.

				1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
EQ. NO.	REUSED REF. BY:	MODEL(S)	MODEL 1920/1920HPS/1920W		
DRAWN:	DATE:	DATE:	DATE:	DATE:	DATE:
DS	6/25/18	RV	OK'D	RV	OK'D
APPROVED:	DATE:	SCALE:	NA	DRAWING TYPE:	INSTALLATION
RV	6/27/17	SCALE:	NA	DRAWING TYPE:	INSTALLATION
PART NUMBER		REVISION		SHEET 1 OF 5	
0510000490.D		2			

[illegible]

\*FINISHED WALL  
(SEE TOP VIEW)

MINIMUM OF 1-1/4  
(32mm) OF STUD  
MUST EXTEND OUT  
OF FINISHED WALL.

USE QTY 2 RUBBER SPACERS(QTY 8 SUPPLIED WITH BACK PANEL) ON EACH STUD (QTY 4 SUPPLIED) TO PROVIDE BACK PANEL SUPPORT.

$$\frac{1/2''}{12.7\text{mm}}$$

FULLY TIGHTEN NUTS —  
DURING ROUGH-IN TO  
SECURE STUDS IN PLACE

USE OUTER 7/16" HOLES  
FOR MODELS 1025, 1047  
& 1075 TO MOUNT PLATE  
3/8" MOUNTING HARDWARE  
(NOT SUPPLIED).

REFERENCE ONLY,  
REFER TO TABLE  
FOR PROPER  
LOCATIONS.

PLATE AND FOUNTAIN  
MOUNTING HARDWARE  
(3/8"-16 UNC)  
SUPPLIED BY HAWS.

## TOP VIEW

\*FINISH WALL OVER MOUNTING PLATE AND BEHIND BACKPANEL. MAKE SURE THAT FINISHED WALL EXTENDS WITHIN THE BRACKET/BOWL MOUNTING HOLES (TO PROVIDE SURFACE AREA FOR RUBBER SPACERS TO CONTACT).

REGARDING CONCRETE/MASONRY WALL MOUNTING: DO NOT SECURE MOUNTING PLATE TO SAME SIDE OF WALL AS FOUNTAIN. AVOID COMPROMISING INTEGRITY OF WALL WHEN ANCHORING FOUNTAIN. IT IS RECOMMENDED THAT INSTALLER CALL TECHNICAL SUPPORT IF THERE ARE ANY QUESTIONS AS TO HOW TO OBTAIN A PROPER ANCHOR IN CONCRETE/MASONRY WALLS. 1-800-766-5612

MODEL	M/G HOLES	"X" DIM
1000	"G"	25-3/8" [645mm]
1001	"G"	25-3/8" [645mm]
1025	"D"	28-1/8" [714mm]
1047	"E"	27-1/2" [699mm]
1075	"E"	28" [711mm]
1105	"H"	34-5/16" [872mm]
1109	"H"	27-5/16" [694mm]
1116	"G"	25-3/8" [645mm]
1001PR	"G"	25-3/8" [645mm]
1109PR	"H"	27-5/16" [694mm]
1075R	"E"	28" [711mm]
1311	"H"	26-3/4" [665mm]
1107L	"H"	26-3/16" [665mm]
1311TRIMCA	"E"	26-3/4" [699mm]



1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: [HAWS@HAWSCO.COM](mailto:HAWS@HAWSCO.COM)  
WEBSITE: [WWW.HAWSCO.COM](http://WWW.HAWSCO.COM)

ECN NO.	REVISED PER BY:	MODEL(S)
ECN: 5172	FV	

1

6700

APPROVED:	DATE:
C/L	09/03/03

APPROVED:	DATE:
FV	02/27/17

SCALE: 1/5

DRAWING TYPE
--------------

--	--

## INSTALLATION

SIZE: A
---------

SHEET 1 OF 2

©2017 Haws Corporation - All Rights Reserved. HAWS® and other trademarks used in these materials are the exclusive property of Haws Corporation..